



32-bit MCU SDK 5.9.10.0 GA

Gecko SDK Suite 2.7

August 18, 2021

The 32-bit MCU SDK provides sample applications for EFM32 and EZR32 development kits.

This document covers the following SDK versions:

- 5.9.10.0 GA released March 3, 2021 (underlying platform changes only)
- 5.9.9.0 GA released March 3, 2021 (underlying platform changes only)
- 5.9.8.0 GA released October 28, 2020 (underlying platform changes only)
- 5.9.7.0 GA released August 26, 2020
- 5.9.6.0 GA released May 27, 2020
- 5.9.5.0 GA released May 1, 2020
- 5.9.4.0 GA released April 22, 2020
- 5.9.3.0 GA released March 20, 2020
- 5.9.2.0 GA released February 21, 2020
- 5.9.1.0 GA released January 24, 2020
- 5.9.0.0 GA released December 13, 2019

KEY FEATURES

Sample application updates

- Integration of sleeptimer service
- New Micrium OS LwIP WFX200 example
- Bugfixes
- DK example deprecation notice

Contents

- 1 New Items2
- 2 Improvements..... 3
- 3 Fixed Issues 4
- 4 Known Issues in the Current Release 5
- 5 Deprecated Items 6
- 6 Removed Items 7
- 7 Using This Release 8
 - 7.1 Compatible Software 8
 - 7.2 Support..... 8

1 New Items

Added in release 5.9.0.0

New Micrium OS LwIP WFX200 example for SLSTK3701A.

2 Improvements

Changed in release 5.9.0.0

Updated all sample apps using rtcdrv driver to use new sleeptimer service instead.

3 Fixed Issues

Fixed in release 5.9.1.0

Fixed warnings when building si72xx_wheeldemo for SLSTK3400A_EFM32HG with IAR or Keil.

Fixed in release 5.9.0.0

Sleep command in the micriumos_shell example was not working and has been fixed.

Fixed an issue where the rangeTest, webserver, qspi_direct and qspi_indirect examples failed to build when opened using copy sources in Simplicity Studio.

4 Known Issues in the Current Release

Both Debug and Release build configurations of MCU examples define `DEBUG_EFM=1`, which enables `em_assert` functionality. `micriumos_lwip_wfx` example for `SLSTK3701A_EFM32GG11` is not compiling when using the Simplicity Studio IDE.

5 Deprecated Items

Deprecated in release 5.9.2.0

All examples for EFM32G-DK3550, EFM32LG-DK3650, EFM32GG-DK3750 and EFM32WG-DK3850 are deprecated and will be removed in a later release.

6 Removed Items

Removed in release 5.9.0.0

All nvm_simple examples removed.

7 Using This Release

The 32-bit MCU SDK 5.9.10.0 is optionally installed with Gecko SDK Suite 2.7.10.0 in Simplicity Studio for EFM32 and EZR32 products. This release contains the following.

- EFM32 and EZR32 sample applications

This SDK depends on Gecko Platform. The Gecko Platform code provides functionality that supports protocol plugins and APIs in the form of drivers and other lower layer features that interact directly with Silicon Labs chips and modules. Gecko Platform components include EMLIB, EMDRV, RAIL Library, NVM3, and mbedTLS. Gecko Platform release notes are available through Simplicity Studio's Launcher Perspective, under this SDK's **Release Notes** doc header.

7.1 Compatible Software

This version of the 32-bit MCU SDK is compatible with the following tool chains.

- IAR Embedded Workbench for ARM (IAR-EWARM) version 8.30.1
- GCC (The GNU Compiler Collection) version 7.2.1 is provided with Simplicity Studio
- Keil MDK V5.25 for ARM

7.2 Support

Development Kit customers are eligible for training and technical support. You can use the Silicon Laboratories web site www.silabs.com/products/mcu/32-bit to obtain information about all EFM32 Microcontroller products and services, and to sign up for product support.

You can contact Silicon Laboratories support at www.silabs.com/support

Simplicity Studio

One-click access to MCU and wireless tools, documentation, software, source code libraries & more. Available for Windows, Mac and Linux!



IoT Portfolio
www.silabs.com/IoT



SW/HW
www.silabs.com/simplicity



Quality
www.silabs.com/quality



Support & Community
www.silabs.com/community

Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice to the product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Without prior notification, Silicon Labs may update product firmware during the manufacturing process for security or reliability reasons. Such changes will not alter the specifications or the performance of the product. Silicon Labs shall have no liability for the consequences of use of the information supplied in this document. This document does not imply or expressly grant any license to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any FDA Class III devices, applications for which FDA premarket approval is required or Life Support Systems without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons. Silicon Labs disclaims all express and implied warranties and shall not be responsible or liable for any injuries or damages related to use of a Silicon Labs product in such unauthorized applications.

Note: This content may contain offensive terminology that is now obsolete. Silicon Labs is replacing these terms with inclusive language wherever possible. For more information, visit www.silabs.com/about-us/inclusive-lexicon-project

Trademark Information

Silicon Laboratories Inc.[®], Silicon Laboratories[®], Silicon Labs[®], SiLabs[®] and the Silicon Labs logo[®], Bluegiga[®], Bluegiga Logo[®], Clockbuilder[®], CMEMS[®], DSPLL[®], EFM[®], EFM32[®], EFR[®], Ember[®], Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember[®], EZLink[®], EZRadio[®], EZRadioPRO[®], Gecko[®], Gecko OS, Gecko OS Studio, ISOModem[®], Precision32[®], ProSLIC[®], Simplicity Studio[®], SiPHY[®], Telegesis, the Telegesis Logo[®], USBXpress[®], Zentri, the Zentri logo and Zentri DMS, Z-Wave[®], and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. Wi-Fi is a registered trademark of the Wi-Fi Alliance. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701
USA

www.silabs.com